

# Jquery Mindfor affix

The affix will reflect which part of the content the user is reading/looking at. But the affix can also be used to jump to a certain section in the content.

## Usage

- include jQuery:

```
<script src="http://code.jquery.com/  
jquery-1.11.0.min.js"></script>
```

- add js:

```
<script src="./mindfor.affix.js"></script>
```

## Affix

call the plugin, with js

- `$.mindforAffix()`  
`$("#element").mindforAffix();`

## Options:

- attribute `class="mindfor-affix-stop"` is needed to move the element in the current container

## Example:

The subnavigation on the right is a live demo of the affix plugin.

```
<!DOCTYPE html>  
<html>  
<head>  
  <title>Mindfor affix Demo</title>
```

```

    <link rel="stylesheet" id="bootstrap-css" href="./
bootstrap.min.css" type="text/css" media="all">
    <link rel="stylesheet" id="style-css" href="./
style.css" type="text/css" media="all">
    <script type="text/javascript" src="./jquery.js"></
script>
    <script type="text/javascript">
    jQuery(document).ready(function($) {
"use strict";

    // AFFIX SCRIPT
    var affixEnabled = false;
    function affixUpdate() {
        var width = $(window).width();
        if (!affixEnabled && width > 992) {
            $("#Affix").mindforAffix();
            affixEnabled = true;
        }
        else if (affixEnabled && width <= 992) {
            var affix = $("#Affix").mindforAffix();
            if (affix)
                affix.remove();
            affixEnabled = false;
        }
    }
    $(window).resize(affixUpdate);
    affixUpdate();
    updateFooter();
});
</script>
</head>
<body>
    <div id="wrapper">
        <!-- start header -->
        <header>
            <div class="navbar navbar-default navbar-
static-top">
                <div class="container">

```

```

        <div class="navbar-header">
            <h1>your footer</h1>
        </div>
    </div>
</div>
</header>

<section id="content">
    <div class="container mindfor-affix-stop">
        <div class="row">
            <div class="col-md-8 article">
                <h2>your content</h2>
            </div>
            <div class="col-md-4 col-xs-12">
                <div class="page-content-sidebar"
id="Affix">
                    <div class="hidden-sm hidden-
xs page-contents" id="AffixNav">
                        <menu class="nav"></menu>
                    </div>
                    <!--div class="row page-
short-info"-->
                        <h2>your content</h2>
                    <!--/div-->
                </div>
            </div>
        </div>
    </div>
</section>
</div>

<footer>
    <div class="container">
        <h1>your content</h1>
    </div>
</footer>

<script type="text/javascript" src="./
bootstrap.min.js"></script>

```

```
<script type="text/javascript" src="./  
mindfor.affix.js"></script>
```

```
</body>
```

```
</html>
```